

# **CITY OF LA HABRA** 2019 PUBLIC HEALTH GOALS REPORT

## **JUNE 2019**



# 2019 Public Health Goals (PHGs) Report City of La Habra

#### 1.0 Introduction

Under the Calderon-Sher Safe Drinking Water Act of 1996 public water systems in California serving greater than 10,000 service connections must prepare a report containing information on 1) detection of any contaminant in drinking water at a level exceeding a Public Health Goal (PHG), 2) estimate of costs to remove detected contaminants to below the PHG using Best Available Technology (BAT), and 3) health risks for each contaminant exceeding a PHG. This report must be made available to the public every three years. The initial report was due on July 1, 1998, and subsequent reports are due every three years thereafter.

This report has been prepared to address the requirements set forth in Section 116470 of the California Health and Safety Code. It is based on water quality analyses during calendar years 2016, 2017, and 2018 or, if certain analyses were not performed during those years, the most recent data available. The report has been designed to be as informative as possible, without unnecessary duplication of information contained in the Consumer Confidence Reports, which are mailed to customers by July 1st of each year.

There are no regulations explaining requirements for the preparation of PHGs reports. A workgroup of the Association of California Water Agencies (ACWA) Water Quality Committee has prepared suggested guidelines for water utilities to use in preparing PHGs reports. The ACWA guidelines were used in the preparation of this report. These guidelines include tables of cost estimates for BAT. The State of California (State) provides ACWA with numerical health risks and category of health risk information for contaminants with PHGs. This health risk information is appended to the ACWA guidelines.

# 2.0 California Drinking Water Regulatory Process

California Health and Safety Code Section 116365 requires the State to develop a PHG for every contaminant with a primary drinking water standard or for any contaminant the State is proposing to regulate with a primary drinking water standard. A PHG is the level of a contaminant in drinking water that poses no significant health risk if consumed for a lifetime. The process of establishing a PHG is a risk assessment based strictly on human health considerations. PHGs are recommended targets and are not required to be met by any public water system.

The State office designated to develop PHGs is the California Environmental Protection Agency's Office of Environmental Health Hazard Assessment (OEHHA). The PHG is then forwarded to the State Water Resources Control Board, Division of Drinking Water (DDW) for use in revising or developing a Maximum Contaminant Level (MCL) in drinking water. The MCL is the highest level of a contaminant that is allowed in drinking water. California MCLs cannot be less stringent than federal MCLs and must be as close as is technically and economically feasible to the PHGs. DDW is required to take treatment technologies and cost of compliance into account when setting an MCL. Each MCL is reviewed at least once every five years.

Total chromium and two radiological contaminants (gross alpha particle and gross beta particle) have MCLs but do not yet have designated PHGs. For these contaminants, the Maximum Contaminant Level Goal (MCLG), the federal U.S. Environmental Protection Agency (USEPA) equivalent of PHGs, is used in the PHGs Report.

N-nitrosodimethylamine (NDMA) has a PHG of 3 nanograms per liter (ng/l), but is not regulated in drinking water with a primary drinking water standard. Bromodichloromethane, bromoform, and dichloroacetic acid are three disinfection byproducts that have federal MCLGs of 0 but are not individually regulated with primary drinking water standards. According to the ACWA guidance and instructions from

DDW, these four chemicals do not have to be included in the PHGs Report because they do not have an existing MCL.

#### 3.0 Identification of Contaminants

Section 116470(b)(1) of the Health and Safety Code requires public water systems serving more than 10,000 service connections to identify each contaminant detected in drinking water that exceeded the applicable PHG. Section 116470(f) requires the MCLG to be used for comparison if there is no applicable PHG.

The City of La Habra (City) water system has approximately 13,801 service connections. The following constituents were detected in the purchased/imported water or at one or more locations within the drinking water system at levels that exceeded the applicable PHGs or MCLGs:

- Arsenic naturally-occurring in imported groundwater purchased from California
   Domestic Water Company (CDWC)
- Bromate formed when naturally-occurring bromide reacts with ozone during the disinfection process in surface water purchased from Metropolitan Water District of Southern California (MWDSC).
- Coliform Bacteria, Total naturally-occurring in the environment but can also be an indicator of the presence of other pathogenic organisms originating from sewage, livestock or other wildlife.
- Copper generally the result of corrosion of residential plumbing. Every three
  years as required by the USEPA Lead and Copper Rule, the City tests
  representative residential taps for copper.
- Gross alpha particle activity (gross alpha) naturally-occurring in local groundwater, imported groundwater purchased from CDWC, and surface water purchased from MWDSC
- Gross beta particle activity (gross beta) naturally-occurring in surface water purchased from MWDSC; not required to be tested in groundwater

- Perchlorate industrial contamination in imported groundwater purchased from CDWC.
- **Tetrachloroethylene (PCE)** industrial contamination in imported groundwater purchased from CDWC
- Trichloroethylene (TCE) industrial contamination in imported groundwater purchased from CDWC
- **Uranium** naturally-occurring in local groundwater, imported groundwater purchased from CDWC, and surface water purchased from MWDSC.

The accompanying chart shows the applicable PHG or MCLG and MCL or Action Level (AL) for each contaminant identified above. The chart includes the maximum, minimum, and average concentrations of each contaminant in drinking water supplied by the City in calendar years 2016 through 2018. Copper is regulated by an AL, not an MCL, and is tested from samples collected at selected customers' indoor faucets or taps. The AL is the concentration of copper, which if exceeded in more than 10 percent of the tap samples, triggers treatment or other requirements that a water system must follow. The chart shows the 90<sup>th</sup> percentile concentration of copper observed during the at-the-tap sampling.

#### 4.0 Numerical Public Health Risks

Section 116470(b)(2) of the Health and Safety Code requires disclosure of the numerical public health risk, determined by OEHHA, associated with the MCLs, ALs, PHGs and MCLGs. Available numerical health risks developed by OEHHA for the contaminants identified above are shown on the accompany chart. Only numerical risks associated with cancer-causing chemicals have been quantified by OEHHA.

**Arsenic** – OEHHA has determined the theoretical health risk associated with the PHG is 1 excess case of cancer in a million people. USEPA has determined the risk associated with the MCL is 2.5 excess cases of cancer in 1,000 people exposed over a 70-year lifetime.

**Bromate** – OEHHA has determined the theoretical health risk associated with the PHG is 1 excess case of cancer in a million people. USEPA has determined the risk associated with the MCL is 1 excess case of cancer in 10,000 people exposed over a 70-year lifetime.

**Coliform Bacteria, Total –** OEHHA has not established a PHG. USEPA has established an MCLG of 0.

**Copper** – OEHHA has not established a numerical health risk for copper because PHGs for non-carcinogenic chemicals in drinking water are set at a concentration at which no known or anticipated adverse health risks will occur, with an adequate margin of safety.

**Gross Alpha** – OEHHA has not established a PHG. USEPA has established an MCLG of 0. USEPA has determined the risk associated with the MCL is 1 excess case of cancer in 1,000 people over a lifetime exposure.

**Gross Beta** – OEHHA has not established a PHG. USEPA has established an MCLG of 0. USEPA has determined the risk associated with the MCL is 2 excess cases of cancer in 1,000 people over a lifetime exposure for the potent beta emitter.

**Perchlorate** – OEHHA has not established a numerical health risk for perchlorate because PHGs for non-carcinogenic chemicals in drinking water are set at a concentration at which no known or anticipated adverse health risks will occur, with an adequate margin of safety.

**PCE** – OEHHA has determined the theoretical health risk associated with the PHG is 1 excess case of cancer in a million people. USEPA has determined the risk associated with the MCL is 8 excess cases of cancer in 100,000 people exposed over a 70-year lifetime.

**TCE** – OEHHA has determined the theoretical health risk associated with the PHG is 1 excess case of cancer in a million people. USEPA has determined the risk associated with the MCL is 3 excess cases of cancer in a million people exposed over a 70-year lifetime.

**Uranium** – OEHHA has determined the theoretical health risk associated with the PHG is 1 excess case of cancer in a million people. USEPA has determined the risk associated with the MCL is 5 excess cases of cancer in 100,000 people exposed over a 70-year lifetime.

# 5.0 Identification of Risk Categories

Section 116470(b)(3) of the Health and Safety Code requires identification of the category of risk to public health associated with exposure to the contaminant in drinking water, including a brief, plainly worded description of those terms. The risk categories and definitions for the contaminants identified above are shown on the accompanying chart.

# 6.0 Description of Best Available Technology

Section 116470(b)(4) of the Health and Safety Code requires a description of the best available technology, if any is available on a commercial basis, to remove or reduce the concentrations of the contaminants identified above. The BATs are shown on the accompanying chart.

## 7.0 Costs of Using Best Available Technologies and Intended Actions

Section 116470(b)(5) of the Health and Safety Code requires an estimate of the aggregate cost and cost per customer of utilizing the BATs identified to reduce the concentration of a contaminant to a level at or below the PHG or MCLG. In addition,

Section 116470(b)(6) requires a brief description of any actions the water purveyor intends to take to reduce the concentration of the contaminant and the basis for that decision.

**Arsenic** – The BATs for removal of arsenic in water for large water systems are: activated alumina, coagulation/filtration, electrodialysis, ion exchange, lime softening, oxidation/filtration, and reverse osmosis. Arsenic was detected above the PHG in the imported groundwater purchased from CDWC. The City is in compliance with the MCL for arsenic. The estimated cost to reduce arsenic levels in imported groundwater purchased from CDWC to below the PHG of 0.004 microgram per liter ( $\mu$ g/l) using ion exchange was calculated. Because the DDW detection limit for purposes of reporting (DLR) for arsenic is 2  $\mu$ g/l, treating arsenic to below the PHG level means treating arsenic to below the DLR of 2  $\mu$ g/l. There are numerous factors that may influence the actual cost of reducing arsenic levels to the PHG. Achieving the water quality goal for arsenic could be approximately \$3,880,000 per year, or \$281 per household per year.

**Bromate** – The BATs for removal of bromate in water for large water systems are: coagulation/filtration optimization, granular activated carbon, and reverse osmosis. Bromate was detected above the PHG in water supplied by MWDSC. The City is in compliance with the MCL for bromate. The estimated cost to reduce bromate levels in MWDSC water to below the PHG of 0.1  $\mu$ g/l using reverse osmosis was calculated. Because the DDW DLR for bromate is 1  $\mu$ g/l, treating bromate to below the PHG level means treating bromate to below the DLR of 1  $\mu$ g/l. There are numerous factors that may influence the actual cost of reducing bromate levels to the PHG. Achieving the water quality goal for bromate could range from approximately \$25,000 to \$210,000 per year, or between \$2 and \$15 per household per year.

**Coliform Bacteria, Total** – The BAT for removal of coliform bacteria in drinking water has been determined by USEPA to be disinfection. The City already disinfects all water served to the public. Chlorine or chloramines is used to disinfect the water because it is

an effective disinfectant and residual concentrations can be maintained to guard against biological contamination in the water distribution system.

Coliform bacteria are indicator organisms that are ubiquitous in nature. They are a useful tool because of the ease in monitoring and analysis. The City collects weekly samples for total coliforms at various locations in the distribution. If coliform bacteria are detected in the drinking water sample, it indicates a potential problem that needs to be investigated and followed up with additional sampling. It is not unusual for a system to have an occasional positive sample. Although USEPA set the MCLG for total coliforms at zero percent positive, there is no commercially available technology that will guarantee zero percent positive every single month; therefore, the cost of achieving the PHG cannot be estimated.

The City will continue several programs that are in place to prevent contamination of the water supply with microorganisms. These include:

- Disinfection using chlorine or chloramines and maintenance of a chlorine residual at every point in the distribution system
- Monitoring throughout the distribution system to verify the absence of total coliforms and the presence of a protective chlorine residual
- Flushing program in which water pipelines known to have little use are flushed to remove stagnant water and bring in fresh water with residual disinfectant
- Cross-connection control program that prevents the accidental entry of nondisinfected water into the drinking water system.

**Copper** – USEPA has determined the BAT to reduce copper in drinking water to be corrosion control optimization. This method is capable of bringing a water system into compliance with the AL of copper at 1,300  $\mu$ g/l. The City water system is already in compliance with the copper AL, meets all State and federal requirements, and is therefore deemed by DDW to have optimized corrosion control. Further corrosion

control optimization would be incapable of achieving the PHG; therefore, the cost of reducing copper to the PHG level cannot be estimated.

The principal reason for this is that the largest source of copper in tap water is the pipe and fixtures in the customer's own household plumbing. Copper has not been detected in the City's source waters. Factors that increase the amount of copper in the water include:

- · Household faucets or fittings made of brass;
- Copper plumbing materials;
- Homes less than 5 years old or constructed before 1980;
- Water supplied to the home is naturally soft or corrosive; or
- Water often sits in the household plumbing for several hours.

The City collected extensive copper tap samples in 2018. The copper levels in over 90 percent of the most recent samples were below the AL. The City will continue to monitor the water quality parameters that relate to corrosivity, such as pH, hardness, alkalinity and total dissolved solids, and will take action if necessary to maintain the water system in an optimized corrosion control condition.

Gross Alpha, Gross Beta, and Uranium – The only BAT for the removal of gross alpha in water for large water systems is reverse osmosis, which can also remove gross beta, and uranium, if detected. Gross alpha was detected above the MCLG in local groundwater, imported groundwater purchased from CDWC, and surface water purchased from MWDSC. Gross beta was detected above the MCLG in the surface water purchased from MWDSC. Uranium was detected above the PHG in local groundwater, imported groundwater purchased from CDWC, and surface water purchased from MWDSC. The cost of providing treatment using reverse osmosis to reduce gross alpha levels in local groundwater, imported groundwater purchased from CDWC, and MWDSC surface water to the MCLG of 0 picoCurie per liter (pCi/l) (and consequently gross beta in MWDSC surface water below the MCLG; and uranium in

local groundwater, imported groundwater purchased from CDWC, and MWDSC surface water below the PHG) was calculated. Because the DLR for gross alpha is 3 pCi/l, treating gross alpha to 0 pCi/l means treating it to below the DLR of 3 pCi/l. Achieving the water quality goal for gross alpha could range from \$2,410,000 to \$20,500,000 per year, or between \$174 and \$1,485 per household per year.

**Perchlorate** – The BATs for removal of perchlorate in water for large water systems are ion exchange and biological fluidized bed reactor. Perchlorate was detected above the PHG in imported groundwater purchased from CDWC. All drinking water supplies comply with the MCL for perchlorate. The estimated cost to reduce perchlorate levels to below the PHG of 1  $\mu$ g/l using ion exchange was calculated. Because the DLR for perchlorate is 4  $\mu$ g/l, treating perchlorate to 1  $\mu$ g/l means treating to below the DLR of 4  $\mu$ g/l. There are numerous factors influencing the actual cost of reducing perchlorate levels to the PHG. Achieving the water quality goal for perchlorate could range from \$970,000 to \$2,110,000 per year, or between \$71 and \$153 per household per year.

**PCE and TCE** – The BATs for removing PCE in water are granular activated carbon (GAC) and packed tower aeration (PTA), which can also remove TCE. PCE and TCE were detected above the PHG in the imported groundwater purchased from CDWC. The City is in compliance with the MCL for PCE and TCE. The estimated cost to treat PCE in the imported groundwater purchased from CDWC to below the PHG of 0.06 μg/l using PTA (and consequently TCE in the imported groundwater purchased from CDWC below the PHG level) was calculated. Because the DLR for PCE is 0.5 μg/l, treating PCE to below the PHG level means treating PCE to below the DLR of 0.5 μg/l. There are numerous factors that may influence the actual cost of treating PCE levels to the PHG. Achieving the water quality goal for PCE using PTA could range from \$549,000 to \$1,453,000 per year, or between \$40 and \$105 per household per year.

All Contaminants – In addition, a cost estimate to treat all water purchased by the City using ion exchange, PTA and reverse osmosis to remove all the contaminants detected above the PHGs or MCLGs was calculated. All the contaminants listed in the

accompanying chart may be removed to non-detectable levels by ion exchange, PTA and reverse osmosis, except total coliform bacteria and copper. As shown on the accompanying chart, achieving the water quality goals for all contaminants, except total coliform bacteria and copper, using ion exchange, PTA and reverse osmosis could range from \$3,930,000 to \$24,100,000 per year, or between \$285 and \$1,743 per household per year.

For additional information, please contact Mr. Brian Jones, Water and Sewer Manager, at (562) 383-4170, or write to the City of La Habra, Water Division, 201 East La Habra Boulevard, La Habra, California 90633.

# 2019 PUBLIC HEALTH GOALS REPORT CITY OF LA HABRA

PARAMETER	UNITS	PHG OR (MCLG)*	MCL OR (AL)	DLR	CONCENTRATION			CATEGORY	<b>CANCER RISK</b>	CANCER	BEST	AGGREGATE	COST PER
	OF MEASUREMENT				AVERAGE		RANGE	OF	AT PHG	RISK	AVAILABLE	COST	HOUSEHOLD
					GROUNDWATER	SURFACE WATER		RISK	OR MCLG	AT MCL	TECHNOLOGIES	PER YEAR	PER YEAR
MICROBIOLOGICAL								1					
Total Coliform Bacteria (a)	% samples positive	(0)	5	NA		2.5		NA	NA	NA	D	(b)	(b)
INORGANIC CHEMICALS													
Arsenic	μg/l	0.004	10	2	<2	ND	ND - 2.5	С	1 x 10 <sup>-6</sup>	2.5 x 10 <sup>-3</sup>	AA,C/F,E,IE,LS,O/F,RO	\$3,880,000 (c)	\$281 (c)
Bromate	μg/l	0.1	10	1	NR	2	ND - 4.7	С	1 x 10 <sup>-6</sup>	1 x 10 <sup>-4</sup>	C/F, GAC, RO	\$25,000 - \$210,000 (d)	\$2 - \$15 d)
Copper (e)	μg/l	300	(1300)	50	550	NA	NA	G	NA	NA	CC	(b)	(b)
Perchlorate	μg/l	1	6	4	<4	<4	ND - 4.7	E	NA	NA	IE, BFBR	\$970,000 - \$2,110,000 (f)	\$71 - \$153 (f)
ORGANIC CHEMICALS													
Tetrachloroethylene (PCE)	μg/l	0.06	5	0.5	<0.5	ND	ND - 3.2	С	1 x 10 <sup>-6</sup>	8 x 10 <sup>-5</sup>	GAC, PTA	\$549,000 - \$1,453,000 (g)	\$40 - \$105 (g)
Trichloroethylene (TCE)	μg/l	1.7	5	0.5	<0.5	ND	ND - 6.1	С	1 x 10 <sup>-6</sup>	3 x 10 <sup>-6</sup>	GAC, PTA		
RADIOLOGICAL													
Gross Alpha Particle Activity	pCi/l	(0)	15	3	1.6	ND	ND - 10	С	0	1 x 10 <sup>-3</sup>	RO	\$2,410,000 - \$20,500,000 (h)	\$174 - \$1,485 (h)
Gross Beta Particle Activity	pCi/l	(0)	50	4	NR	1.7	ND - 6	С	0	2 x 10 <sup>-3</sup>	IE, RO		
Uranium	pCi/l	0.43	20	1	2.2	1.0	ND - 4.9	С	1 x 10 <sup>-6</sup>	5 x 10 <sup>-5</sup>	RO		
ALL CONTAMINANTS											IE, PTA and RO	\$3,930,000 - \$24,100,000 (i)	\$285 - \$1,743 (i)

<sup>\*</sup> MCLGs are shown in parentheses. MCLGs are provided only when no applicable PHG exists.

#### **RISK CATEGORIES**

- C (Carcinogen) = A substance that is capable of producing cancer.
- G (Gastrointestinal Effects) = A substance that may adversely affect the gastrointestinal tract after short-term exposure.
- E (Endocrine Toxicity) = A substance that can affect the thyroid or cause neurdevelopmental deficits.

#### NOTES

AL = Action Level

PHG = Public Health Goal

MCL = Maximum Contaminant Level

MCLG = Maximum Contaminant Level Goal

NA = Not Appplicable or Available

ND = Not Detected

NR = Not Required

ug/l = micrograms per liter or parts per billion

pCi/I = picoCuries per liter

DLR = Detection Limit for Purposes of Reporting

- (a) The chart shows highest monthly percentage of positive samples as the detected value. Samples were collected in the distribution system.
- (b) Cost could not be estimated
- (c) Estimated cost to remove arsenic using IE.
- (d) Estimated cost to remove bromate using RO.
- (e) An action level has been established for copper and lead. The action level is exceeded if the 90th percentile concentration in samples collected throughout the distribution system is higher than the action level. The chart shows the 90th percentile concentration.
- (f) Estimated cost to remove perchlorate using IE.
- (g) Estimated cost to remove PCE and TCE using PTA.
- (h) Estimated cost to remove gross alpha particle activity using RO, which also removes gross beta particle activity and uranium.
- (i) Assuming treating the entire production by IE, PTA and RO, which can remove all contaminants listed in the above chart to below the detectable levels, except for total coliform and copper, which can be detected anywhere in the distribution system.

#### TREATMENT/CONTROL TECHNOLOGIES

AA = Activated Aluminum

BFBR = Biological fluidized Bed Reactor

CC = Corrosion Control

C/F = Coagulation/Filtration

D = Disinfection

E = Electrodialysis

GAC = Granular Activated Carbon

IE = Ion Exchange

LS = Lime Softening

O/F = Oxidation/Filtration

PTA = Packed Tower Aeration

RO = Reverse Osmosis